

 **MATEK GRUP**
LIVING SPACE SOLUTIONS

EN / 2023



A photograph of a modern outdoor patio. In the foreground, a large, L-shaped beige sectional sofa is visible. Behind it, a rectangular dining table with several chairs is set up. The patio is covered by a pergola with a dark frame and light-colored slats. The pergola's beams are illuminated with warm, golden light. The background is filled with dense, vibrant green trees and shrubs. The sky is blue with some clouds. The text "the limit is imagination" is overlaid in the center of the image.

the limit is imagination

Living space solutions...

Matek Grup designs and manufactures a range of outdoor living space solutions. Bioclimatic aluminum pergolas, movable and fixed glass roof systems, retractable glass systems, zip curtains, awnings and more.

Design, innovation, reliability, high quality and safety are the basic principles of the company. The services it provides to the world's largest brands are the natural result of these principles. The principle of respect for nature and people for a better life is also indispensable for Matek Grup.

Matek Grup's elegant designs fit almost any home architecture, modern or classical. It also offers many flexible solutions for different commercial areas such as restaurants, cafes, business centers.

Matek Grup's living space solutions add comfort, security and value to the space.

ROYAL
Bioclimatic
Pergola



ROYAL

Bioclimatic Pergola


A bioclimatic pergola with a motorized and aluminum paneled roof, Matek Grup Royal protects from the sun in summer and lets light and heat in winter. With its special patented design and high quality, it allows you to use your living space during all 4 seasons under the conditions you want at the maximum level of comfort. With the double-engine special technology of Royal Bioclimatic Pergola, you will have the highest standards that a pergola can offer you. If you want, you can adjust the intervals of the panels on your roof with the remote control, and benefit from the sun and fresh air.

Moreover, you can open or close your roof to the point you want with the remote control. Royal Bioclimatic pergola can be used as wall mounted or free standing. Royal Bioclimatic Pergola provides perfect sealing with its unique design and technology. It is extremely robust and safe with its 3.3 mm aluminum thickness and reinforced special rail system. It provides a unique heat and sound insulation with the special polyurethane insulation material placed inside the aluminum panels. In addition, the Royal has a concealed drainage system from the roof to the posts to flush rainwater and keep the pergola area dry.




Configurations


1 Self-standing




2 Wall-mounted blades perpendicular to wall




3 Wall-mounted on to sides blades perpendicular to wall




4 Wall-mounted blades parallel to wall




5 Wall-mounted blades parallel to wall




6 Self-standing poles off-center



7 Wall-mounted blades perpendicular to wall



8 Wall-mounted blades perpendicular to wall





0-105° MOVABLE AND ADJUSTABLE BLADES

HEAT RESISTANT
EPDM WICKS

INTEGRATED GUTTER SYSTEM FOR WATER DRAINAGE

WINDBREAKER PROFILE


LED LIGHTING ON
4 SIDES

HIDDEN WATER DRAINAGE SYSTEM


Aluminum



Stainless
Component



Motorized
System



Remote
Control



2 Years
Warranty



Led
Lighting




Eco
Friendly




Water
Proof



Insulation




CE
Certificated



Royal / Technical Data


STACKING THE BLADES

Matek Grup Royal has a patented blade stacking technology that allows natural ventilation and can be retracted to turn the space into open air. It also provides optimum protection against rain and snow when the blades are completely closed.



CUSTOMIZABLE POSITIONING

Matek Grup Royal aluminum blades can be adjusted to the desired angle with the remote control in order to receive the desired amount of sunlight. By choosing the direction and angle of rotation, the retractable blades allow to choose the intensity of the light. With this function, it will also be possible to ventilate the living area as much as desired.



Maximum width for each module	7000 mm
Maximum depth for each module	9000 mm
Self-standing / Wall-mounted	✓
Dimensions of poles	130 X 170 mm
Maximum height	Optional
Insulated blades	✓
Extruded aluminum	✓
Motorized	✓
Remote controlling & Start-Stop	✓
Flexibility to be applied to different areas and sizes	✓

Durability	✓
Easy cleaning and maintenance	✓
Customizing the position of the blades	✓
Retractable	✓
Maximum protection against weather	✓
Curtain systems	Optional
Glass systems	Optional
Lighting	Optional
Colour	Single / Multi
Powder Coated	✓



You can customize selecting the colour of your choice from more than 1600 existing RAL colors.





MATEK GRUP
ROYAL IS
A BIOCLIMATIC
PERGOLA THAT
CAN BE FULLY
OPENED
PROTECTING
AGAINST RAIN
CONTROLLING
SUNLIGHT AND
NATURAL LIGHT
INTENSITY

ROYAL SKY

Bioclimatic
Pergola



ROYAL SKY

Bioclimatic Pergola

Matek Grup Royal Sky, a bioclimatic pergola with a motorized and aluminum/glass paneled roof, protects from the sun in summer and provides light and warmth in winter.

With its special patented design, it allows you to use your living space under the conditions you want during all 4 seasons. Royal Sky lets you see the sky and get more light, even with all the aluminum panels closed. Royal Sky glass panels and Royal aluminum panels can be combined to create a different atmosphere in the space.


With Royal Sky Bioclimatic Pergola's special double engine technology, you will have the highest standards a pergola can offer you. Royal Sky Bioclimatic Pergola provides perfect sealing with its unique design and technology. It is extremely robust and safe with its 3.3 mm aluminum thickness and reinforced special rail system.

Laminated glass panels for outdoor use provide heat and sound insulation. Also, Royal Sky has a concealed drainage system from the roof to the posts to drain rainwater and keep the pergola area dry.




Configurations


1 Self-standing




2 Wall-mounted blades perpendicular to wall




3 Wall-mounted on to sides blades perpendicular to wall




4 Wall-mounted blades parallel to wall




5 Wall-mounted blades parallel to wall




6 Self-standing poles off-center




7 Wall-mounted blades perpendicular to wall



8 Wall-mounted blades perpendicular to wall





WINDBREAKER PROFILE

HEAT RESISTANT
EPDM WICKS

LED LIGHTING ON
4 SIDES

DAYLIGHT SAVING EVEN WHEN THE SYSTEM IS CLOSED

0-105° MOVABLE AND ADJUSTABLE BLADES


INTEGRATED GUTTER SYSTEM FOR WATER DRAINAGE

HIDDEN WATER DRAINAGE SYSTEM


Aluminum



Stainless
Component




Motorized
System



Remote
Control



2 Years
Warranty



Led
Lighting



Tempered
Glass




Eco
Friendly




Water
Proof



Insulation




CE
Certificated



Royal Sky / Technical Data

GLASS BLADES


Royal Sky's laminated double-layer glass blades provide a cool living space in summer and warm in winter. Even when all blades are closed, you can see the sky and let the daylight into your living space. Royal Sky provides energy saving, wellness, comfort and keeps you in touch with nature.



Maximum width for each module	5000 mm
Maximum depth for each module	7000 mm
Self-standing / Wall-mounted	✓
Dimensions of poles	130 x 170 mm
Height	Optional
Glass thickness/Air gap	4 mm/12 mm AG/4 mm
Glass features	Tempered solar low-E glass Tempered insulating glass
Glass colour	Optional
Extruded aluminum	✓
Remote controlling & Start-Stop	✓

RETRACTABLE BLADES AND ADJUSTABLE ANGLES


Matek Grup Royal Sky aluminum/glass panels can be adjusted to the desired angle to let sunlight into the space. It has patented blade stacking technology that allows natural ventilation and can be retracted to turn the space into open air. It also provides optimum protection against rain and snow when the wings are fully closed.



Flexibility to be applied to different areas and sizes	✓
Durability	✓
Easy cleaning and maintenance	✓
Customizing the position of the blades	✓
Retractable	✓
Maximum protection against weather	✓
Curtain systems	Optional
Glass systems	Optional
Lighting	Optional
Colour	Single / Multi
Powder Coated	✓



You can customize selecting the colour of your choice from more than 1600 existing RAL colors.





MATEK GRUP
ROYAL SKY
OFFERS
A PERFECT
BIOCLIMATIC
OUTDOOR
LIVING SPACE
COMFORT
IN CONTACT
WITH
NATURE

CROWN
Bioclimatic
Pergola



CROWN

Bioclimatic Pergola


Matek Grup Crown is a motorized bioclimatic pergola with an aluminum panel roof. With its special patented design and high quality, it allows you to use your living space at the maximum level during 4 seasons under the conditions you want. Standard modules can be customized: their locations, thicknesses and colors can be changed, and different architectural solutions can be created to bring the maximum comfort and usability to the space.

The spacing of the panels on the roof can be adjusted with the remote control, or they can be opened and closed to the desired point. Matek Grup Crown can be used as wall-mounted or free-standing. It provides a unique heat and sound insulation with the special polyurethane insulation material placed inside the aluminum panels. In addition, Crown has a concealed drainage system from the roof to the posts to drain rainwater and keep the pergola area dry.




Configurations


1 Self-standing
Customizable poles
Option-1




2 Self-standing
Customizable poles
Option-2




3 Self-standing
Customizable poles
Option-3




4 Self-standing
Customizable poles
Option-4




5 Wall-mounted
Blades perpendicular to wall
Customizable poles




6 Wall-mounted on two sides
Blades parallel to wall
Customizable poles




7 Wall-mounted
Blades perpendicular to wall
Customizable poles
Double module



8 Wall-mounted
Blades perpendicular to wall
Customizable poles
Triple module






Crown / Technical Data

CUSTOMIZABLE DESIGN


Crown offers a completely different design experience. Standard modules can be personalized, their locations, thicknesses, colors can be changed and different architectural solutions can be created in harmony with the space.



Maximum width for each module	5000 mm
Maximum depth for each module	5000 mm
Dimensions of poles	50x50 and 300x50 mm
Maximum height	3000 mm
Extruded aluminum	✓
Insulated blades	✓
Motorized	✓
Remote controlling & Start-Stop	✓
Flexibility to be applied to different areas and sizes	✓
Durability	✓

RETRACTABLE BLADES AND ADJUSTABLE ANGLES

Matek Grup Royal Sky aluminum/glass panels can be adjusted to the desired angle to allow sunlight to enter the space. It features patented blade stacking technology that allows natural ventilation and retracts to turn the space into open air. It also provides optimum protection against rain and snow when the wings are fully closed.



Easy cleaning and maintenance	✓
Customizing the position of the blades	✓
Retractable	✓
Maximum protection against weather	✓
Glass/aluminum blades	Optional
Curtain systems	Optional
Glass systems	Optional
Lighting	Optional
Colour	Single / Multi
Powder Coated	✓



You can customize selecting the colour of your choice from more than 1600 existing RAL colors.





MATEK GRUP
CROWN MAKES
EVERY OUTDOOR
PROJECT UNIQUE
AND EXCLUSIVE
WITH ITS
DESIGN
FLEXIBILITY

DREAM
Glass Roof
Systems



DREAM

Glass Roof Systems

Matek Grup Dream

Dream fixed glass roof is a system that can be applied to terraces, balconies and gardens in commercial areas and houses. Matek Grup Dream, produced by using high quality aluminum profiles and insulated glasses suitable for outdoors, offers the opportunity to experience outdoor comfort indoors as well.


It is an ideal product with maximum sky pleasure with its wide glass dimensions and flexible mounting features that can be adapted to any size according to the space. Matek Grup Dream is resistant to adverse weather conditions, waterproof and rustproof.



Configurations


1

Wall-mounted
Single module




2

Wall-mounted
Double module




3

Wall-mounted on two sides
Single module




4

Wall-mounted on two sides
Triple module




5

Wall-mounted
Double module



6

Wall-mounted
Triple module





WIDE SOLAR LOW - E GLASS PANELS

WINDBREAKER PROFILE


12-15% SLOPE

HIDDEN WATER DRAINAGE SYSTEM

Aluminum




Stainless Component




Tempered Glass




2 Years Warranty




Led Lighting




Eco Friendly



Water Proof



Insulation




CE Certificated



Dream / Technical Data


WIDE GLASS PANELS

Maximum sunlight during the day with glass dimensions (900x3000 mm) that can be applied in wide sizes.



INSULATION

Matek Grup Dream provides durability, energy saving, light transmittance, sound and heat insulation with laminated glass panels. It provides a cool environment in hot weather and a warm environment in cold weather.




Maximum dimensions for each module	Optional
Glass thickness/ Air gap	4 mm/ 16 mm AG/4 mm - 5 mm/15 mm AG/4 mm 5 mm/14 mm AG/5 mm - 6 mm/20 mm AG/6 mm
Glass feature	Optional
Number of glass panels	2 - 3 - 4 - 5
Maximum dimensions for each module	900 x 3000 mm
Glass colour	Optional
Self-standing / Wall-mounted	✓
Height	Optional
Minimum slope	12 - 15%

Extruded aluminum	✓
Flexibility to be applied to different areas and sizes	✓
Durability	✓
Maximum protection against weather conditions	✓
Curtain systems	Optional
Glass systems	Optional
Lighting	Optional
Colour	Single/ Multi
Powder Coated	✓



You can customize selecting the colour of your choice from more than 1600 existing RAL colors.





MATEK GRUP
DREAM IS
A PATENTED
ROOF SYSTEM
COMBINING
FUNCTIONALITY
AND AESTHETICS

DREAM PLUS

Glass Roof
Systems



DREAM PLUS

Glass Roof Systems


The roof that opens with a single touch between you and the sky; a very stylish roof that you can open and close whenever you want. Matek Grup Dream Plus is a living space where you can leave out the rain, snow, and wind in winter and enjoy the sun in summer.

Dream Plus, which is an automatic glass roof system with thermal insulation, can be controlled with a remote control. It is a product that is more and more preferred every day since it is a perfect solution for both homes and commercial areas.




Configurations


- 1** Wall-mounted
1 glass panel stable
2 glass panel movable
Single module




- 2** Wall-mounted
1 glass panel stable
3 glass panel movable
Double module




- 3** Wall-mounted on two sides
1 glass panel stable
2 glass panel movable
Single module




- 4** Wall-mounted on two sides
1 glass panel stable
2 glass panel movable
Double module




- 5** Wall-mounted
1 glass panel stable
1-2-3 glass panel movable
Six modules



- 6** Wall-mounted
1 glass panel stable
1-2-3 glass panel movable
Six modules





REMOTE CONTROLLED MOVABLE GLASS PANELS

WINDBREAKER PROFILE


EXTRA WATERPROOFING WITH SPECIAL MECHANISM INTEGRATED INTO THE SIDE RAILS

HIDDEN WATER DRAINAGE SYSTEM


Aluminum



Stainless Component



Motorized System



Remote Control



2 Years Warranty



Led Lighting



Tempered Glass



Eco Friendly




Water Proof



Insulation




CE Certificated



Dream Plus / Technical Data

MOVABLE GLASS PANELS


Vast variety of options thanks to movable glass panels that can be controlled with a remote control.



Maximum dimensions for each module	2000 x 4500 mm / 6000 x 2000 mm 1350 x 8000 mm
Glass thickness / Air gap	4 mm/ 16 mm AG/4 mm - 5 mm/15 mm AG/4 mm 5 mm/14 mm AG/5 mm - 6 mm/12 mm AG/6 mm
Glass feature	Tempered Solar Glass + Tempered Insulating Glass
Number of glass panels	2 - 3 - 4 - 5
Glass colour	Optional
Self-standing / Wall-mounted	✓
Height	Optional
Minimum slope	12 - 15%
Extruded aluminum	✓

INSULATION

Matek Grup Dream provides durability, energy saving, light transmittance, sound and heat insulation with laminated glass panels. It provides a cool environment in hot weather and a warm environment in cold weather.



Flexibility to be applied to different areas and sizes	✓
Durability	✓
Easy cleaning and maintenance	✓
Maximum protection against weather conditions	✓
Motorized	✓
Curtain systems	Optional
Glass systems	Optional
Lighting	Optional
Colour	Single / Multi
Powder Coated	✓



You can customize selecting the colour of your choice from more than 1600 existing RAL colors.





MATEK GROUP DREAM PLUS
IS A REMOTE CONTROLLED
RETRACTABLE
FULLY AUTOMATIC
AND INSULATED
NEW GENERATION
GLASS ROOF SYSTEM

UPGLASS

Glass
Systems



UPGLASS

Glass Systems

Matek Grup Upglass is a fully automatic, remote controlled, 100% cleanable, motorized vertical glass system. Upglass telescopic guillotine lenses are a very high quality and stylish solution with a high production standard. It also offers optimum performance in terms of thermal insulation, daylight, bright living space and energy saving.


Matek Grup Upglass is a customized architectural glass solution, and different configurations can be created according to the needs of your space. Upglass, an extremely durable and stylish movable glass system, is ideal for restaurants, terraces and gardens.

Matek Grup Upglass with its patented design offers 100% cleaning from inside, even on high floors.




Configurations


- 1** 3 glass panel system
1 glass panel stable
2 glass panel movable to down
Single module




- 2** 4 glass panel system
1 glass panel stable
3 glass panel movable to down
Double module




- 3** 3 glass panel system
1 glass panel stable
2 glass panel movable to down/up
Triple module




- 4** 2 glass panel system
1 glass panel stable
1 glass panel movable to down
Single module



- 5** 2 glass panel system
1 glass panel stable
1 glass panel movable to down/up
Double module



- 6** 2 glass panel system
1 glass panel stable
1 glass panel movable to down/up
Triple module



RESISTANCE TO FLEXING AND SWINGING
WITH EXTRA SUPPORT PROFILES

UP /DOWN RETRACTABLE GLASS PANELS

QUIET MOVEMENT WITH DURABLE STRAP


INSULATION WITH HIDDEN PILE WEATHER STRIPPING




Aluminum



Stainless
Component




Motorized
System



Remote
Control



2 Years
Warranty



Tempered
Glass




Eco
Friendly




Water
Proof



Insulation




CE
Certificated



Upglass / Technical Data


Extra Support Profile

Matek Grup Upglass can be applied as a single module up to 5000 mm wide with its patented extra support profile. These wide-angle glasses provide a perfect view.



100% CLEANABLE DESIGN

The patented design of Upglass offers the opportunity to clean the inside and outside of the glass fully, even in high buildings. This cleaning can be done easily from the inside of the building.




Maximum width for each module	5000x2800 mm
Extra support profile	Optional
100% cleanable mechanism	Optional
Glass thickness /Air gap	4 mm/ 16 mm AG/4 mm - 5 mm/14 mm AG/5 mm
Glass features	Tempered insulating glass
Solar Low-E glass	Optional
Glass colour	Optional
Number of glasses for each module	2 - 3 - 4
Extruded aluminum	✓

Flexibility to be applied to different areas and sizes	✓
Durability	✓
Easy cleaning and maintenance	✓
Maximum protection against weather conditions	✓
Motorized	✓
Curtain systems	Optional
Awning systems	Optional
Colour	Single / Multi
Powder Coated	✓



You can customize selecting the colour of your choice from more than 1600 existing RAL colors.





MATEK GRUP
UPGLASS OFFERS
“UNOBSTRUCTED VISION”
WITH ITS MAXIMUM
SHARPNESS RANGE
VERTICAL FRAMELESS
AND MINIMALIST
HORIZONTAL FRAME

RAILGLASS

Glass
Systems



RAILGLASS

Glass Systems


Matek Grup Railglass is a new generation sliding glass system with its patented design. It can be used in a single module at a height of 3400 mm with an extra support profile. With its minimalistic and robust look, it is a popular architectural solution for homes and commercial spaces. Extra support profiles add an elegant look and durability to the glass panels.

The feature of being able to gather on both sides adds extra comfort to the using experience of Railglass. The high and low options of the bottom rail also offer different solutions for indoor and outdoor use. Matek Grup Railglass is made of insulated glass and is a high-performance product in terms of the climatic balance of the living space.




Configurations


1 3 glass panel system
Openable right / left
Single module




2 3 glass panel system
Openable right / left
Double module




3 4 glass panel system
Openable right / left
Single module




4 4 glass panel system
Openable right / left
Double module




5 4 glass panel system
Openable from the middle
Single module



6 6 glass panel system
Openable from the middle
Double module



7 8 glass panel system
Openable from the middle
Single module



ABILITY TO ADD AN EXTRA ARM PROFILES TO ANY GLASS PANEL

RESISTANCE TO FLEXING AND SWINGING
WITH EXTRA SUPPORT PROFILES

LOCKING SYSTEM FROM INSIDE / OUTSIDE


WITH/WITHOUT THRESHOLD RAIL SYSTEM

INSULATION WITH HIDDEN PILE WEATHER STRIPPING


Aluminum



Stainless
Component



2 Years
Warranty



Tempered
Glass




Eco
Friendly



Water
Proof



Insulation




CE
Certificated



Railglass / Technical Data


LOCKING OPTIONS

Railglass has a locking system from inside as standard. Optionally, it is possible to add a locking system from the outside.



MAXIMUM HEIGHT WITH EXTRA SUPPORT PROFILE

With the extra support profile, a height of 3400 mm is possible in a single module. This feature offers not only a more elegant and sophisticated look, but also a wider view.



Maximum width for each module	7000 mm
Maximum height for each module	3000 mm
Extra support profile	Optional
Arm profile	Optional
Maximum width for each glass panel	1000 - 1300 mm
Glass thickness	4 mm/9 mm AG/ 4 mm - 4 mm/12 mm AG/4 mm
Glass features	Tempered insulating glass
Solar Low-E glass	Optional
Glass colour	Optional
Number of glasses for each module	2-3-4-6-8
With/without threshold crossing	Optional

Locking system	Optional
Extruded aluminum	✓
Flexibility to be applied to different areas and sizes	✓
Durability	✓
Easy cleaning and maintenance	✓
Maximum protection against weather conditions	✓
Curtain systems	Optional
Awning systems	Optional
Colour	Single / Multi
Powder Coated	✓



You can customize selecting the colour of your choice from more than 1600 existing RAL colors.





THE SLIDING GLASS SYSTEM
MATEK GRUP RAILGLASS IS
THE IDEAL SOLUTION
FOR PROJECTS
WHERE YOU NEED
TO TAKE ADVANTAGE
OF THE SPACE

FOLDGLASS

Glass
Systems



FOLDGLASS

Glass Systems


Matek Grup Foldglass is a minimalistic folding glass system. Having a simple and elegant design, Folglass is suitable for both home and commercial use with its laminated glass and high quality aluminum profiles. The fact that the glass panels can be collected on one side ensures that it uses a minimum of space in the living area.

Matek Grup Foldglass is an architectural solution that can be applied to both flat and oval areas. A more effective shading can be achieved by placing a collapsible aluminum blind between the glass on the panel.




Configurations


1 2 glass panel system
Single module




2 3 glass panel system
Single module




3 4 glass panel system
Single module




4 5 glass panel system
Single module




5 6 glass panel system
Single module




6 7 glass panel system
Single module



7 8 glass panel system
Single module




8 9 glass panel system
Single module



EXTRA THIN WICK /GLASS INTERMEDIATE PROFILE

LOWER AND UPPER LOCK MECHANISM

TEMPERED INSULATING GLASS




STEEL AND POLYAMIDE DURABLE WHEELS

BOTTOM PLINTH WITH WATER DRAINAGE CHANNEL

Aluminum



Stainless
Component



2 Years
Warranty



Tempered
Glass




Eco
Friendly



Water
Proof



Insulation




CE
Certificated



Foldglass / Technical Data

MORE SPACE FOR LIFE


Matek Grup Foldglass panels are collected on one side, use a minimum of space and leave more space for living.



Maximum width for each module	7000 mm
Maximum height for each module	2500 mm
Maximum glass panel width	900 mm
Glass thickness / Air gap	4 mm/22 mm AG/4 mm
Glass feature	Tempered insulating glass
Solar low-e glass	Optional
Glass colour	Optional
Extruded aluminum	✓
Flexibility to be applied to different areas and sizes	✓

SOLUTION FOR OVAL SPACES

The fact that Matek Grup Foldglass can be applied to oval areas is a very important advantage compared to many other glass systems in a single module. This feature offers both a more elegant and sophisticated look as well as a wider view.



Durability	✓
Easy cleaning and maintenance	✓
Maximum protection against weather conditions	✓
Jalousie between the glass	Optional
Curtain systems	Optional
Awning systems	Optional
Colour	Single / Multi
Powder Coated	✓



You can customize selecting the colour of your choice from more than 1600 existing RAL colors.





MATEK GRUP
UPGLASS OFFERS
“UNOBSTRUCTED VISION”
WITH ITS MAXIMUM
SHARPNESS RANGE
VERTICAL FRAMELESS
AND MINIMALISTIC
HORIZONTAL FRAME

ZIP BLIND
Shading
Systems



ZIP BLIND

Shading Systems


Matek Grup Zip Blind is a motorized automatic curtain system that can work both horizontally and vertically. The most important feature of the Zip Blind is that the fabric can stand rigid and maintain its form with its special zipper technology. Zip Blind, which is a new generation automatic curtain system, can be used with the glass roof system and it prevents intense heat from all horizontal and inclined windows. The special fabric provides ventilation but is also waterproof.

Zip Blind also provides excellent shading in vertical use and offers an elegant architectural solution. Zip Blind is the most preferred curtain system in home and commercial areas with its fabric quality, remote-controlled motor mechanism and design.




Configurations


1 Zip blind
Single module




2 Zip blind
Double module




3 Zip blind
Triple module




4 Zip blind (Roof)
Single Module




5 Zip blind (Roof)
Double Module



6 Zip blind (Roof)
Double Module





MOTORIZED AND REMOTE CONTROL

INSULATED SCREEN FABRIC

HIDDEN ZIPPER EDGE

SIDE CHANNELS FOR MOVEMENT

Aluminum

AL

Stainless Component

2 Years Warranty

Motorized System

Remote Control

Light Proofing

Eco Friendly

Water Proof


Insulation

CE Certificated

Zip Blind / Technical Data


HORIZONTAL AND VERTICAL APPLICATION

Matek Grup Zip Blind can be applied both horizontally and vertically, with motor and remote control. With this feature, it provides excellent shading against the sunlight coming both from the ceiling and the facade, as well as ventilation.



ZIPPER TECHNOLOGY

Matek Grup Zip Blind has a special zipper technology. The zippers on the fabric edges prevent problems such as gathering and fluctuation and provide a perfect usage experience.



Maximum width for each module (Vertical)	5000 mm
Maximum height for each module (Vertical)	3400 mm
Maximum width for each module (Horizontal)	4000 mm
Maximum height for each module (Horizontal)	2700 mm
Fabric type	Screen
Fabric colour	Optional
Daylight control and insulation	✓
Water proofing	✓
Fade and abrasion resistant fabric	✓
Zipper system	✓

Extruded aluminum	✓
Flexibility to be applied to different areas and sizes	✓
Remote controlling	✓
Durability	✓
Easy cleaning and maintenance	✓
Motorized	✓
Glass System	Optional
Colour	Single / Multi
Powder Coated	✓



You can customize selecting the colour of your choice from more than 1600 existing RAL colors.





MATEK GRUP ZIP BLIND...
DISCOVER PURE DESIGN
COMBINED WITH ULTIMATE
COMFORT
AND A UNIQUE
ZIP SYSTEM THAT WILL
ENSURE THE FABRIC
STAYS TAUT FOR YEARS

Luna
Pergola



LUNA Pergola

Matek Grup Luna is a retractable motorized pergola system made of fabric and aluminum.

Luna completely protects your space against external weather conditions and turns it into a comfortable living space. Flexible in function and stylish in design, these pop-up roof systems offer the best in both form and function. Maximum water and UV sun protection can be achieved by using a flexible PVC fabric awning.


A powder-coated aluminum frame is used to support the fabric canopy. You can control the system as you wish with the remote control.

Matek Grup Luna offers the optimum solution for both home and commercial spaces.




Configurations


1 Self standing
Single module




2 Self standing
Double module




3 Self standing
Six modules




4 Wall-mounted
Single module




5 Wall-mounted
Double module




6 Wall-mounted
Triple module



7 Wall-mounted on two sides
Single module



8 Wall-mounted on two sides
Double module



ABRASION AND FADING RESISTANT FABRIC

INTEGRATED LED LIGHTING


RAIN DRAIN GUTTERS

WATERTIGHT
AND WINDPROOF WICKS


Aluminum



Stainless
Component




Motorized
System




Remote
Control



Light
Proofing



2 Years
Warranty




Led
Lighting



Eco
Friendly



Water
Proof




CE
Certificated



Luna / Technical Data

RETRACTABLE


Matek Grup Luna can be easily retractable with its motorized system and remote control, it can be stopped at the desired point. This feature allows maximum comfort and ventilation in the living area.



Maximum width for each module	4000 mm
Maximum depth for each module	6000 mm
Type of fabric	PVC based, Blackout
Self-standing / Wall-mounted	✓
Height	Optional
Minimum slop	12° - 15° %
Extruded aluminum	✓
Flexibility to be applied to different areas and sizes	✓
Durability	✓

INSULATION

Matek Grup Luna offers excellent durability even for the toughest weather conditions with its special fabric, which allows long life with its excellent resistance against abrasion and UV. It provides perfect insulation with special wicks at the joints.




Easy cleaning and maintenance	✓
Maximum protection against weather conditions	✓
Motorized	✓
Curtain systems	Optional
Glass systems	Optional
Lighting	Integrated LED
Fade and abrasion resistant fabric	✓
Colour	Single / Multi
Powder Coated	✓



You can customize selecting the colour of your choice from more than 1600 existing RAL colors.





MATEK GRUP LUNA
HAS SOMETHING
FOR EVERY SPACE
SLEEK AND ELEGANT
OR A TRADITIONAL
LOOK

WINSTYLE

Shading
Systems



WINSTYLE


Shading Systems

Matek Grup Winstyle is a very stylish awning system with motor, remote control and wide application range. Windows, showcases and balconies are some of the usage areas. Winstyle cuts the sunlight and adds an aesthetic and decorative look to the space. In commercial use, it can be customized using different colors and logo printing. It can move at 170 degree angle and has a curtain function as well as awning function.




Configurations


1 Single module



2 Double module



3 Triple module





HIDDEN CASSETTE SYSTEM

ACRYLIC FABRIC


MOTORIZED AND REMOTE CONTROL

STAINLESS COMPONENTS AND PROFILES


Aluminum



Stainless Component




Motorized System




Remote Control



Light Proofing



2 Years Warranty



Eco Friendly



Water Proof




CE Certificated



Winstyle / Technical Data

0-170° MOVEMENT


Matek Grup Winstyle has 0-170° movement angle and remote control start-stop function. With this function, it acts as a curtain even if it is used as an awning.



Maximum width for each module	1000 - 5000 mm
Maximum depth for each module	500 - 750 - 1000 -1250 mm
Fabric type	Acrylic fabric
Fabric colour	Optional
Logo printing	Optional
Light proofing	✓
Water-repellency	✓
Fade and abrasion resistant fabric	✓
Extruded aluminum	✓

CASSETTE SYSTEM

Matek Grup Winstyle has a special cassette system that hides and protects the fabric and mechanism. It has a minimalistic and stylish look.



Flexibility to be applied to different areas and sizes	✓
Maximum movement angle	170°
Durability	✓
Easy cleaning and maintenance	✓
Motorized	✓
Glass System	Optional
Colour	Single / Multi
Powder Coated	✓



You can customize selecting the colour of your choice from more than 1600 existing RAL colors.





MATEK GRUP
WINSTYLE
IS A NEW GENERATION
SHADING SYSTEM
WITH MINIMALIST
DESIGN AND MAXIMUM
FUNCTIONALITY

UPTOWN
Shading
Systems



UPTOWN

Shading Systems


Matek Grup Uptown is an extremely compact model with its motorized mechanism, special fabric and design. Its shading system provides the highest level of protection from rain, wind, cold and snow. Stylish cassettes are designed to protect the fabric, prolong its life and create a minimalistic effect.

Uptown's exclusive fabric provides sunlight control and repels raindrops, helping to drain the water.




Configurations


1 Single module




2 Double module



3 Triple module







Aluminum



Stainless
Component




Motorized
System




Remote
Control



Light
Proofing



2 Years
Warranty



Eco
Friendly



Water
Proof




CE
Certificated



Uptown / Technical Data

CASSETTE SYSTEM


Matek Grup Uptown has a special cassette system that hides and protects the fabric and mechanism. It has a minimalistic and stylish look.



Maximum width for each module	2000 - 7000 mm
Maximum depth for each module	1500 - 3000 mm
Fabric type	Acrylic fabric
Fabric colour	Plain/Patterned
Logo printing	Optional
Light proofing	✓
Water-repellency	✓
Fade and abrasion resistant fabric	✓

OPENS UP TO 3000 mm

Matek Grup Uptown opens up to 3000 mm, providing maximum protection in a wider area.



Extruded aluminum	✓
Flexibility to be applied to different areas and sizes	✓
Minimum slop	12° - 15° %
Durability	✓
Easy cleaning and maintenance	✓
Motorized	✓
Colour	Single / Multi
Powder Coated	✓



You can customize selecting the colour of your choice from more than 1600 existing RAL colors.





MATEK GRUP UPTOWN
NOT ONLY ASSERTS
YOUR STYLE STATEMENT
IT ALSO ADDS
A DIFFERENT DIMENSION
TO YOUR AESTHETIC
OUTLOOK

THANKS FOR SUPPORTING US



THANKS FOR CHOOSING US

BRIDGESTONE



INVEO



VADİSTANBUL







PRODUCTS OVERVIEW



Royal Bioclimatic Pergola



Royal Sky Bioclimatic Pergola



Crown Bioclimatic Pergola




Dream Glass Roof Systems

PRODUCTS OVERVIEW



Dream Plus Glass Roof Systems



Uppglass Glass Systems



Railglass Glass Systems



Foldglass Glass Systems

PRODUCTS OVERVIEW



Zip Blind Shading Systems




Luna Pergola



Winstyle Shading Systems



Uptown Shading Systems



contact us
for the
new generation
shading
solutions

info@matekgrup.com.tr



Gümüşsuyu Cd. Fatih Şehitler Sk. No:4 Topkapı / İSTANBUL / TÜRKİYE
+90 (212) 501 27 28 - info@matekgrup.com.tr
www.matekgrup.com.tr

